




# Chemlease® Mold Cleaner 11



©2016 Chem-Trend L.P.

## Description

Chemlease® Mold Cleaner 11 is a strong- multipurpose mold cleaner designed to dissolve and remove i.e., polystyrene/resin contamination from molds used in the molding of composite parts. It's a blend of solvents to soften material residue, enabling its removal by wipe or other mechanical treatments.

## Application

Please ensure compatibility of the cleaner with the substrate before applying to critical surfaces. Chemlease® Mold Cleaner 11 is slower in evaporation than other cleaners and is effective on material build-up.

1. Chemlease® Mold Cleaner 11 is designed to be applied directly on the surface by wipe, cloth, or brush. For stubborn areas longer treatment may be necessary for instance by covering with a saturated wipe, we recommend not to exceed 10 minutes.
2. Frequently exchange contaminated wipes when necessary. Remove softened, dissolved material build-up with new and clean wipes throughout.
3. Repeat process several times until all residue is removed (at least two applications are recommended.)
4. It is recommended to treat surfaces with Chemlease® Mold Cleaner EZ after procedure to ensure all traces of Chemlease® Mold Cleaner 11 and contamination is removed.
5. Allow the surface to dry for approx. 10 minutes after cleaning.

Before proceeding with production cycles sealing and release application is necessary. Please check the surface of mold, tool for integrity.

## Storage

Do not store at temperatures above 30°C. Keep container tightly sealed to prevent evaporation and/or contamination. Shelf life is 12 months from the date of manufacture, in the original unopened container.

## Handling

For more information on storage, handling, hazards, etc., please request a copy of Chem-Trend's Material Safety Data Sheet, which must be consulted prior to use of this product.

## Packaging

Product is available in a variety of packaging. Please contact our customer service team for details.

## Further Information

Request information on our complete range of materials for this industry.

## Legal Notice

The technical information and suggestions for use contained herein is based on our general experience and knowledge at the time of publication and is intended to give information of possible applications to a professional with technical experience. It does not release the customer from the obligation of performing own tests with the product selected for a specific application. While the information and suggestions are believed to be accurate and reliable, nothing stated in this bulletin is to be taken as a warranty either expressed or implied.